

Manual Tank Gauging 90-Day Summary**Note: Please attach completed manual tank gauging results for January 2003.****FOR KDHE USE ONLY:**

Submit to: **Kansas Department of Health and Environment
Bureau of Environmental Remediation -
Storage Tank Section
1000 SW Jackson, Suite 410
Topeka KS 66612-1367**

Please Print Clearly or Type

Monthly Monitoring	_____ yes _____ no
Results for 1 month	_____ yes _____ no
Inventory Control*	_____ yes _____ no
Leak Check	_____ yes _____ no
Water Check	_____ yes _____ no
Signed	_____
Date	_____

I. Facility Information

A. Facility Name: _____

B. Facility Address: _____
(street) (city) (state) (zip)

C. Contact Person: _____ Phone: (____) ____ - _____

II. Owner Information

A. Owner Name: _____

B. Owner Address: _____
(street) (city) (state) (zip)

C. Contact Person: _____ Phone: (____) ____ - _____

III. Substances Stored (check each): " diesel " kerosene " gasoline (including alcohol) " used oil " other
If other, list contents of tank _____.

IV. Inventory Control*. Inventory control is not required for used oil USTs with capacities up to 2000 gallons.
Otherwise, please send copies of your Inventory Control Records for 30 days to KDHE after the first month of operation.

V. Tank System Tested Give total capacity of tank _____.

KDHE tank no. [one sheet per UST]	Month:	Month:	Month:	(1) If UST does not store used oil, send copies of your Inventory Control Records for 30 days to KDHE after the first month of operation.
	Yr:	Yr:	Yr:	
Average difference between tank stick readings before and after rest periods (gals)				(2) Send 90-Day Summary Sheets to KDHE after the first 90 days of operation.
Pass/Fail (see section IV)	Pass Fail	Pass Fail	Pass Fail	

IV. Tables Showing when to Suspect a Release and to contact KDHE.

<u>Fail tank when standard exceeded:</u>	Used Oil		Other Regulated Substances	
Nominal tank capacity in gallons	Weekly (One test)	Monthly Average (of four tests)	Weekly (One test)	Monthly Average (of four tests)
550 or less	10 gallons	5 gallons	10 gallons	5 gallons
551 thru 1000	13 gallons	7 gallons	13 gallons	7 gallons
1001 thru 2000	26 gallons	13 gallons	not allowed	not allowed

V. Please contact KDHE within 24 hours if your tank system has failed. Please direct questions regarding tank tests to KDHE, Storage Tank Section, 785-296-8061.